

1439 - Hood & Panel Rack

Made In USA



Champ Frame Straightening Equipment, Inc.

Parts List

Before assembling your Hood & Panel Roller Rack please check that you have the following parts:

- 2 58" Side rails
- 2 34" Caster tubes
- 1 30" Center brace
- 8 5' Padded supports
- 10 3'6" Padded Supports
- 4 5" Locking Casters
- 4 1/2" Nuts & lock washers
- 4 5/16" x 3/4" Bolts
- 8 5/16" Rev. locknuts

Assembly Instructions

To assemble your Hood & Panel Rack, simply follow these instructions. If further assistance is needed, please call and we'll be glad to help.

- 1. Unpack all pieces; lay out in an orderly fashion. Check to make sure that all parts are present.
- 2. Start with installing the four 5" casters into the 1 $\frac{1}{2}$ " CASTER TUBES. Insert the $\frac{1}{2}$ " stem into pre-drilled holes. Secure with $\frac{1}{2}$ " lock washer & $\frac{1}{2}$ " nut, tighten with the $\frac{3}{4}$ " wrench. Repeat process on all four casters.
- 3. Lay out side rails (angle iron braces) with round insert tubes welded on with band molding strip facing down, and approximately 30" apart. *Note:* Round insert tubes facing in.
- 4. Now take the center base tube with the flat braces on either end and line up the holes on the side rails with the center tube. Secure with four $5/16'' \times 34''$ bolts and 5/16'' rev. locknuts. Now flip over the base right side up (with band molding up).
- 5. Next, take the $1 \frac{1}{2}$ " tube with installed casters and the four threaded bolts facing up and insert them through the holes on either end. Secure with four 5/16" rev. locknuts. The base is now complete.
- 6. Take the upright padded supports and simply insert the round insert tubes, space them out as necessary.... 8 long 5' supports and 10 3'6" supports. The Hood & Panel Roller Rack will haul and store up to 8 hoods/door shells/panels etc. in any combination.

Thank you for choosing the Hood & Panel Roller Rack and look for other items manufactured by Champ Frame.

****DISCLAIMER***

Champ Frame is not responsible for accidents and/or damage due to the misuse of this product.